



Advanced Systems Software

New Installation Notes/Checklist:

Before you begin, please identify which computer you need to physically connect the new hardware (if you purchased the Signature Pad or the Dymo Printer).

Suggested Order of Installation...

- **Install an New Hardware first (Signature Pad, Dymo Printer)**
- **Install the Multi-Key License Server Software (If purchased)**
- **Install the Visual Sign-In (If purchased)**
- **Install the Visual Scheduler**

Server Computer:

1. Install the ODBC Faircom Drivers (from Eclipse)
2. If you plan to physically attach the Dymo Printer to this computer... Install the Dymo Printer Drivers first, then attach the printer when directed. *(If you plan to network to the Dymo Printer –Install the Dymo Printer on the workstation where you plan to physically attach the printer before installation of the Dymo Printer Drivers on the Server.)*
3. If you plan to physically attach the Topaz Systems Signature Pad to this computer, Install the Topaz Systems Drivers, then attach the Signature Pad. *(If the Topaz Systems Signature Pad will not physically be attached to the server, then you can skip this step.)*
4. Install the Multi-Product License Key Server software CD *(If you plan to install the physical Green License Key on workstation, Install the Multi-Product License Key Server on that workstation before you continue.)*
5. Install the Visual Scheduler from the software CD.

This is the main computer where the Eclipse (MPN) folder is located. This computer is where you will install the Visual Scheduler Software CD. Do not install the Visual Scheduler software CD on the workstation computers. Refer to Installation Guide Chapter 4 Page 17. If you purchased the Multi-User License you will also need to install the Multi-Product License Key Server Software CD on the main computer (unless you choose to locate the software key on another machine within your network).

Workstation Computers:

1. Install the ODBC Faircom Drivers (from Eclipse)
2. If you plan to physically attach the Dymo Printer to this computer... Install the Dymo Printer Drivers first, then attach the printer when directed. *(If you plan to network to the Dymo Printer –Install the Dymo Printer on the workstation where you plan to physically attach the printer before installation of the Dymo Printer Drivers on the Server.)*
3. If you plan to physically attach the Topaz Systems Signature Pad to this computer, Install the Topaz Systems Drivers, then attach the Signature Pad. *(If the Topaz Systems Signature Pad will not physically be attached to the server, then you can skip this step.)*
4. If you ***did not*** install the Multi-Product License Key Server software CD and key on the Server Computer, then choose which workstation you will install the key on and follow the direction in the Installation Guide Chapter 5, Page 23. *(If you plan to install the physical Green License Key on workstation, Install the Multi-Product License Key Server on that workstation before you continue.)*
5. Follow the directions in the Installation Guide to install the Workstation Visual Scheduler Software (Chapter 4, Page 17)

Never Install the Computer Software Package for the Visual Scheduler on the workstation. Follow the direction in the Installation Guide for Workstation Setup and Configuration.

Additional Notes:

The purpose of the Multi-Product License Key Server is to allow a single key to be installed on an office network to listen and issue Client License Authorization for products purchased from Advanced Systems Software.

This software can run as a system service or on the local desktop (if logged in with Administration privileges). There are a few things to remember when using this software...

The software will automatic open a port in the Windows XP Professional, 2003 Server firewall to allow communications with the other network workstations. The port used is 5163 by default, but can be changed if necessary due to conflicts with other software packages. If you are using a firewall other than the integrated Windows XP,2003 Server firewall, you must open for TCP/IP port number 5163 (or the port you designated) for this application to function properly.

If you plan to use this software on a Windows XP x64, or 2003 Server x64 please contact support to obtain the latest drivers for the Key Dongle.

If you have any question or need support for this product, Contact Advanced Systems Software.

Product Support:

Voice (904) 762-1313

Fax (904) 762-1990

Email: support@advsyssoft.com

Web Forums: <http://www.advsyssoft.com/forums>